



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

XXXV. *A Catalogue of the Fifty Plants from Chelsea Garden, presented to the Royal Society by the worshipful Company of Apothecaries, for the Year 1767, pursuant to the Direction of Sir Hans Sloane, Bart. Med. Reg. et Soc. Reg. nuper Præses: By William Hudson, Societatis Regiæ & clariss. Societatis Pharmaceut. Lond. Soc. Hort. Chelsean. Præfectus et Prælector Botanici.*

Read Dec. 8, 1768. 2251 **A** *Lcea ficifolia*, foliis palmatis. Lin. Sp. pl. 967.

Malvea rosea, folio ficus. Bauh. pin. 315.

2252 *Allium carinatum*, caule planifolia bulbifera, staminibus subulatis. Lin. Sp. pl. 426.

Allium umbella bulbifera, vagina bicorni, foliis carinatis. Hall. all. 27. tab. I. f. 2.

2253 *Amaranthus spinosus*, racemis pentandricis erectis, axillis spinosis. Lin. Sp. pl. 1407.

Amaranthus Indicus spinosus, spica herbacea. Herm. Lugdb. 31. tab. 33.

2254 *Bidens bipinnata*, foliis bipinnatis incisfis, calycibus involucretis, corollis femiradiatis, seminibus divergentibus. Lin. Sp. pl. 1166.

Chrysanthemum Americanum, coridis indi folio. Herm. Par. 123. tab. 123.

G g 2

2255 *Bidens*

- 2255 *Bidens pilosa*, foliis pinnatis subpilosis, caulis geniculis barbatis, calycibus involucro simplici, feminibus divergentibus. Lin. Sp. pl. 1166.
Bidens latifolia, hirsutior, semine angustiore radiato. Dill. Hort. Elth. 51. tab. 43. f. 51.
- 2256 *Campanula*, *Erinus*, caule dichotomo, foliis sessilibus, utrinque dentatis, floralibus oppositis. Lin. Sp. pl. 240.
Erini f. *Rapunculi* minimum genus. Column. phytob. 122. tab. 28.
- 2257 *Capparis spinosa*, pedunculis solitariis unifloris, stipulis spinosis, foliis annuis, capsulis ovalibus. Lin. Sp. pl. 720.
Capparis spinosa, fructu minore, folio rotundo. Bauh. pin. 480.
- 2258 *Conyza hirsuta*, foliis ovalibus, integerrimis scabris subtus hirsutis. Lin. Sp. pl. 1209.
- 2259 *Coreopsis lanceolata*, foliis lanceolatis integerrimis ciliatis. Lin. Sp. pl. 1283.
Bidens succisæ folio, radio amplo laciniato. Dill. H. Elth. 55. tab. 48. f. 56.
- 2260 *Coreopsis leucantha*, foliis pinnatis ferratis, florum radio diversicolore. Lin. Sp. pl. 1282.
- 2261 *Dianthus glaucus*, floribus subsolitariis, squamis calycinis lanceolatis quaternis brevibus, corollis crenatis. Lin. Sp. pl. 588. Hudf. Fl. Angl. 161.
- 2262 *Dianthus Carthusianorum*, floribus subaggregatis: squamis calycinis ovatis aristatis tubum subæquantibus, foliis sublinearibus trinerviis. Lin. Sp. pl. 586.

- Caryophyllus sylvestris vulgaris latifolius. Bauh.
pin. 209.
- 2263 Fraxinus, *Ornus*, foliolis ferratis, floribus corol-
latis. Lin. Sp. pl. 1510.
Fraxinus florifera botryoides, Moris. præl. 265.
Hort. Angl. 33. tab. 9.
- 2264 Forskohlea. Lin. Mantif. 72.
Chamædryfolia tomentosa mascatenfis. Pluk.
alm. 97. tab. 275. f. 6.
- 2265 Geropogon *glabrum*, foliis glabris. Lin. Sp. pl.
1109.
Tragopogon gramineo folio, glabrum, flore di-
lute incarnato. Raj. Hist. 111. 149.
- 2266 Gnaphalium *undulatum*, herbaceum foliis de-
currentibus, lanceolatis, acutis undatis subtus
tomentosis. Lin. Sp. pl. 1197.
Elichrysum graveolens acutifolium, caule alato.
Dill. Hort. Elth. 130. tab. 108. f. 130.
- 2267 Hamellia *patens*, racemis patentibus. Lin. Sp.
pl. 246. Jacq. Amer. 16.
Periclymenum arborescens, ramulis inflexis;
flore luteo. Plum. ic. 218.
- 2268 Helenium *autumnale*. Lin. Sp. pl. 1248.
Aster floridianus, caule alato. Pluk. Phyt. tab.
372. f. 9.
- 2269 Helicteres, *Isôra*, foliis cordatis ferratis, fructu
composito contorto. Lin. Sp. pl. 1367.
Hiçteres, arbor Indiæ orientalis, filiqua varico-
sa, et funiculi in modum contortuplicata.
Pluk. Alm. 181. tab. 245. f. 2.
- 2270 Holosteum *cordatum*, foliis subcordatis. Aman.
ac. 3. p. 21. Lin. Sp. pl. 130.

- Alfine Americana, nummulariæ folio. Herm.
parad. 11. tab. 11.
- 2271 *Holosteum umbellatum*, floribus umbellatis.
Loef. it. 120. Lin. Sp. pl. 130.
Lychnis graminea hirsuta umbellifera. Moris.
Hist. 2. p. 546. f. 5. tab. 22. f. 46.
- 2272 *Hypericum tomentosum*, floribus trigynis: caly-
cibus ferrato-glandulosis, foliis semiamplexi-
caulibus flexuosis tomentosis, caulibus pro-
stratis. Gouan. monsp. 402. Lin. Sp. pl.
1106.
Hypericum supinum tomentosum alterum.
Clus. Hist. 2. p. 181.
- 2273 *Lobelia, Erinus*, caule patulo, foliis lanceo-
latis ferratis, pedunculis longissimis. Lin. Sp.
pl. 1320.
Campanula minor Africana, crinifacie, flore
violaceo, caulibus erectis. Herm. Lugdb. 110.
tab. 111.
- 2274 *Loeflingia, Hispanica*, Loef. it. 113. tab. 1. f. 2.
Lin. Sp. pl. 50.
- 2275 *Malva scabrosa*, caule fruticoso, pilis simplicibus,
foliis lobatis, floribus erectiusculis, petalis
incumbentibus. Lin. Sp. pl. 968.
Malva Africana frutescens, flore rubro. Comm.
hort. 2. p. 171. tab. 86.
- 2276 *Malva limensis*, caule erecto herbaceo, foliis
lobatis, spicis secundis axillaribus, seminibus
lævibus. Lin. Sp. pl. 968.
- 2277 *Mimulus ringens*, erectus, foliis oblongis linea-
ribus sessilibus. Lin. Sp. pl. 884.
Digitalis perfoliata glabra, flore violaceo minore.
Hist. Ox. 11. p. 475. f. 5. tab. 8. f. 6.
- 2278 *Morus*

- 2278 *Morus papyrifera*, foliis palmatis, fructibus hispidis. Lin. Sp. pl. 1399.
Morus papyrifera, fativa Japonica. Seb. Thes. 1. p. 44. tab. 28. f. 3.
- 2279 *Parietaria Lusitanica*, foliis ovatis obtusis, caulis striatis lævibus filiformibus procumbentibus. Lin. Sp. pl. 1492.
Parietaria Lusitanica, annua minima. Tourn. 506. Raj. Hist. III. p. 129.
- 2280 *Passiflora rubra*, foliis bilobatis cordatis acuminatis. Lin. Sp. pl. 1356.
Flos passionis, folii media lacinia quasi abscissa, flore minore carneo. Sloan. Jam. 144. Hist. I. p. 229.
- 2281 *Passiflora ferratifolia*, foliis indivisis ferratis. Lin. Sp. pl. 1355.
Granadilla Americana, folio oblongo leviter serrato, petalis ex viridi rubescentibus. Mart. cent. 36. tab. 36.
- 2282 *Plantago maritima*, foliis semicylindraceis integerrimis: basi lanatis, scapo tereti. Lin. Sp. pl. 165. Hudf. Angl.
Coronopus maritimus major. Bauh. pin. 190.
- 2283 *Plantago Africana*, caule ramoso fruticoso, foliis lanceolatis, dentatis capitulis aphyllis. Lin. Sp. pl. 168.
Pfyllium, foliis crenatis, Indicum. Bauh. pin. 191.
- 2284 *Plantago Cynops*, caule ramoso fruticoso, foliis filiformibus integerrimis strictis, capitulis subfoliatis. Lin. Sp. pl. 167.
Pfyllium majus supinum. Bauh. pin. 191.
- 2285 Poly-

- 2285 *Polycarpon tetraphyllum*. Lin. Sp. pl. 131.
Anthyllis alfinifolia polygonoides major. Barr.
 car. 103. tab. 534.
- 2286 *Piercea glabra*, foliis ovato-lanceolatis glabris.
 Mill Dict. Hort. ed. 8.
Rivina, floribus octandris dodecandrisve. Lin.
 Sp. pl. 117.
- 2287 *Saxifraga umbrosa*, foliis obovatis subretusis car-
 tilagineo-crenatis, caule nudo paniculato.
 Lin. Sp. pl. 574.
Geum folio subrotundo minori pistillo floris
 rubro Mill. i. c. 141. f. 2.
- 2288 *Sida Indica*, foliis cordatis sublobatis stipulis
 reflexis, pedunculis longioribus, capsulis
 multilocularibus scabris calyce longioribus.
 Lin. Sp. pl. 964.
Abutilon Indicum. Comm. hort. 11. tab. 1.
- 2289 *Silphium perfoliatum*, foliis oppositis deltoidi-
 bus, petiolatis perfoliatis. Lin. Sp. pl. 1301.
- 2290 *Silene polyphylla*, foliis fasciculatis setaceis: ramo-
 rum florentium oppositis. Roy. Lugdb. 447.
 Lin. Sp. pl. 601.
Lychnis sylvestris VIII. Clus. Hist. I. p. 290.
- 2291 *Sisymbrium monense*, acaule, foliis dentato-
 pinnatis subpilosis. Lin. Sp. pl. 918. Hudf.
 Angl.
Eruca monensis laciniata, flore luteo ma-
 jore. Dill. Hort. Elth. 135. tab. 111.
 f. 135.
- 2292 *Solanum ferox*, caule aculeato herbaceo, foliis
 cordatis angulatis tomentosis, baccis hirtis
 calyce obtectis. Lin. Sp. pl. 267.

- 2293 *Solanum Virginianum*, caule aculeato herbaceo foliis pinnatifidis utrinque aculeatis : lacinii, sinuatis obtusis, calycibus aculeatis. Lin. Sp. pl. 267.

Solanum Americanum laciniatum spinosissimum. Dill. Hort. Elth. 360. tab. 267. f. 346.

- 2294 *Solanum fodomeum*, caule aculeato fruticoso, foliis obovatis pinnatifido-sinuatis obtusis sparse aculeatis nudis, calycibus aculeatis. Lin. Sp. pl. 265.

Solanum spinosum, profunde laciniatis foliis, subtus lanuginosis, madaraspatanum. Pluk. tab. 316. f. 4?

- 2295 *Solidago rigida*, foliis caulinis ovatis scabris, ramis alternis fastigiatis, corymbis terminalibus. Lin. Sp. pl. 1235.

Virga aurea novæ Angliæ, lato rigidoque folio. Herm. par. 243. tab. 243.

- 2296 *Sonchus maritimus*, pedunculo nudo, foliis lanceolatis amplexicaulibus indivisis retrorsum argute dentatis. Lin. Sp. pl. 1116.

Sonchus angustifolius maritimus. Pluk. phyt. tab. 62. f. 5.

- 2297 *Spermacoce tenuior*, glabra, foliis linearibus, staminibus inclusis. Lin. Sp. pl. 147.

Spermacoce verticillis tenuioribus. Dill. Hort. Elth. 370. tab. 277. f. 359.

- 2298 *Urtica cylindrica*, foliis oppositis oblongis, amentis cylindricis solitariis indivisis sessilibus. Lin. Sp. pl. 1396.

Urtica racemosa humilior iners. Sloan. Jam. 38.

2299 *Urtica divaricata*, foliis alternis ovatis, racemis compositis divaricatis. Lin. Sp. pl. 1397.

Urtica racemosa major Virginiana mitior, f. minus urens. Pluk. phyt. 237. f. 2.

2300 *Zinnia pauciflora*, floribus paucis. Lin. Sp. pl. 1296.

Bidens calyce oblongo, feminibus radii corolla non decidua coronatis. Mill. tab. 64.